



# Cooper Bussmann Cross Reference & Upgrade

The left column represents Cooper Bussmann and competitors' part numbers. The right column represents the Cooper Bussmann upgrades.

| CLASS CC and MIDGET |                   |
|---------------------|-------------------|
| Existing Fuse       | LOW-PEAK® UPGRADE |
| A6Y type 2B         | LP-CC             |
| ABU                 |                   |
| AGU                 |                   |
| ATDR                |                   |
| ATM                 |                   |
| ATMR                |                   |
| ATQ                 |                   |
| BAF                 |                   |
| BAN                 |                   |
| BLF                 |                   |
| BLN                 |                   |
| CCMR                |                   |
| CM                  |                   |
| CMF                 |                   |
| CNM                 |                   |
| CNQ                 |                   |
| CTK                 |                   |
| CTK-R               |                   |
| FLM                 |                   |
| FLM                 |                   |
| FLQ                 |                   |
| FNM                 |                   |
| FNQ                 |                   |
| FNW                 |                   |
| GGU                 |                   |
| HCLR                |                   |
| KLK                 |                   |
| KLK-R               |                   |
| KTK                 |                   |
| KTK-R               |                   |
| MCL                 |                   |
| MEN                 |                   |
| MEQ                 |                   |
| MOF                 |                   |
| MOL                 |                   |
| OTM                 |                   |
| TRM                 |                   |
| 6JX                 | LP-CC             |



The Cooper Bussmann fuse upgrade offers superior performance while reducing the number of SKU's that need to be in stock. Low-Peak® fuses feature a high degree of current limitation, which will provide the best component protection and may reduce the arc-flash hazard. Listings are numerical-alpha by fuse class and fuse catalog symbol. Do you have a part that does not appear in the list? This list is only a consolidated cross-reference to some of our most common products. For a much more extensive database please consult the competitor cross-reference on [www.cooperbussmann.com](http://www.cooperbussmann.com) or contact Customer Satisfaction at (636) 527-3877

| CLASS R 250V  |                   |
|---------------|-------------------|
| Existing Fuse | LOW-PEAK® UPGRADE |
| A2D           | LPN-RK_SP         |
| A2D-R         |                   |
| A2K           |                   |
| A2K-R         |                   |
| A2Y type 1    |                   |
| AT-DE         |                   |
| CHG           |                   |
| CRN-R type 3  |                   |
| CTN-R         |                   |
| DEN           |                   |
| DLN           |                   |
| DLN-R         |                   |
| ECN           |                   |
| ECN-R         |                   |
| ERN           |                   |
| FLN           |                   |
| FLN-R         |                   |
| FRN           |                   |
| FRN-R         |                   |
| FTN-R         |                   |
| GDN           |                   |
| HAC-R         |                   |
| HB            |                   |
| KLN-R         |                   |
| KON           |                   |
| KTN-R         |                   |
| LENRK         |                   |
| LKN           |                   |
| LLN-RK        |                   |
| LON-RK        |                   |
| NCLR          |                   |
| NLN           |                   |
| NON           |                   |
| NRN           |                   |
| OTN           |                   |
| OTN           |                   |
| REN           |                   |
| RFN           |                   |
| RFN           |                   |
| RHN           |                   |
| RLN           |                   |
| TR            |                   |
| 655           |                   |
| 660           |                   |
| 10KOTN        |                   |
| 50KOTN        | LPN-RK_SP         |



| CLASS R 600V  |                   |
|---------------|-------------------|
| Existing Fuse | LOW-PEAK® UPGRADE |
| A6D           | LPS-RK_SP         |
| A6K-R         |                   |
| A6K-R         |                   |
| A6X type 1    |                   |
| ATS-DE        |                   |
| CHR           |                   |
| CTS-R         |                   |
| DES           |                   |
| DES-R         |                   |
| DLS           |                   |
| DLS-R         |                   |
| ECS-R         |                   |
| ERS           |                   |
| FLS           |                   |
| FLS-R         |                   |
| FRS           |                   |
| FRS-R         |                   |
| FTS-R         |                   |
| GDS           |                   |
| HA            |                   |
| KLS-R         |                   |
| KOS           |                   |
| KTS-R         |                   |
| LES           |                   |
| LES-R         |                   |
| LES-RK        |                   |
| LKS           |                   |
| LLS-RK        |                   |
| LOS-RK        |                   |
| NLS           |                   |
| NOS           |                   |
| NRS           |                   |
| OTS           |                   |
| RES           |                   |
| RFS           |                   |
| RHS           |                   |
| RLS           |                   |
| SCLR          |                   |
| TRS           |                   |
| TRS-R         |                   |
| 656           |                   |
| 10KOTS        |                   |
| 50KOTS        | LPS-RK_SP         |



|       |       |
|-------|-------|
| ATQR  | FNQ-R |
| FNQ-R | FNQ-R |
| KLDR  | FNQ-R |

FNQ-R suggested on primary of control transformers

| CLASS J       |                   |
|---------------|-------------------|
| Existing Fuse | LOW-PEAK® UPGRADE |
| A4J           | LPJ_SP            |
| AJT           |                   |
| CJ            |                   |
| CJS           |                   |
| GF8B          |                   |
| HRCXXJ        |                   |
| J             |                   |
| JA            |                   |
| JCL           |                   |
| JDL           |                   |
| JFL           |                   |
| JHC           |                   |
| JKS           |                   |
| JLS           |                   |
| JTD           | LPJ_SP            |



| CLASS L        |                   |
|----------------|-------------------|
| Existing Fuses | LOW-PEAK® UPGRADE |
| A4BQ           | KRP-C_SP          |
| A4BT           |                   |
| A4BY           |                   |
| A4BY type 55   |                   |
| CLASS L        |                   |
| CLF            |                   |
| CLL            |                   |
| CLU            |                   |
| HRC-L          |                   |
| KLLU           |                   |
| KLPC           |                   |
| KLU            |                   |
| KTU            |                   |
| L              |                   |
| LCL            |                   |
| LCU            | KRP-C_SP          |



The comparative catalog numbers shown were derived from the latest available published information from various manufacturers. Because competitors' products may differ from Cooper Bussmann products, it is recommended that each application be checked for required electrical and mechanical characteristics before substitutions are made. Cooper Bussmann is not responsible for misapplications of our products.

Overcurrent protection is application dependent. Consult latest catalogs and application literature, or contact our Application Engineering Department at (636) 527-1270.